

General information

Were any new municipal facilities added to your jurisdiction in 2022 that have stormwater infrastructure?

No.

Did you identify or construct any new outfalls or points of discharge?

No

Enforcement Actions

The enforcement response procedure and form to be filled out in case of an unauthorized discharge can be found in your Stormwater Management Plan (SWMP). SWMPs are saved under your community name [on LGROW's website](#).

Were there any enforcement actions taken in 2022? This includes fines, citations, stop work orders.

No

If yes, please explain:

Illicit Discharges

How many illicit discharges were detected in 2022?

Three.

Explain each illicit discharge and action taken to investigate/clean up each discharge:

Conical Tool (3890 Buchanan Ave) Oil Spill, 6/15/2022

A public works employee noticed oil draining into a catch basin from a Conical Tool container and called Wyoming environmental services staff to respond. According to Conical Tool, the container drain was opened to drain water in the container, but then forgotten. Booms were placed in the historic Cole Drain to filter suspended oil flowing downstream, and a boom and small earth berm were placed around the catch basin draining the oil to prevent additional flow downstream. Conical Tool called Plummer's Environmental at the City's request to clean up the spill, and Plummer's arrived a few hours later to clean storm sewer and surfaces with pooled oil. The area was inspected later that night to determine efficacy of the cleanup, and oil was observed at the sewer outfall and downstream of the Cole Drain booms, so EGLE was contacted.

Miracle Image (3400 Jefferson Ave) Vehicle Washing, 8/1/22

Miracle Image employees were washing vehicles and draining wash water to a nearby catch basin. The catch basin draining the wash water had a slight sheen upon inspection, but the next downstream structure appeared clean. Miracle Image was told to discontinue their outside washing practices and to wash vehicles inside instead. On 8/23/22, Wyoming employees observed Miracle Image employees washing an RV outside, and Miracle Image was told again to discontinue outside washing. Miracle Image has not been observed washing vehicles outside since those occurrences, and the owner has assured that City that vehicles will no longer be washed outside.

Plaster Creek Green Discoloration, 12/12/22

The City of Wyoming was notified of a green discoloration in Plaster Creek east of Kimble Field through social media. Pictures of the green discoloration were also posted on social media. Wyoming employees inspected the creek the night of the social media posts, but no green discoloration in the water was observed; however, algae in the creek did appear to be greener than usual. The green discoloration was assumed to be green tracer dye, which is safe for the environment. No cleanup was necessary.

Were all illicit discharges detected eliminated?

Wyoming responded to all illicit discharges detected and in some instances initiated cleanup, educated property owners on their responsibility to prevent pollution, and contacted EGLE. These actions will ideally motivate responsible property owners to avoid any further discharges.

How many illicit discharges led to enforcement action?

No enforcement actions were taken in the form of fines, citations, or other penalties. Conical Tool paid for cleanup of their discharge at Wyoming's request, but this action was not enforced.

Soil Erosion and Sedimentation Control (Part 91)

Were there any changes made to your SESC program in 2022? (ex. change in Part 91 status as an APA or MEA)

No.

Were there any issues identified in 2022 under the SESC program on construction sites under your jurisdiction? If so, please explain:

The Rivertown Valley residential development SE of Wilson Ave. and 56th St. has encountered erosion issues over the past couple years, and the Kent County Road Commission and EGLE have required the developer to improve erosion and sedimentation controls on the site. This year the City of Wyoming required the developer to dredge the forebay of the regional stormwater detention basin to which the development drains.

Post Construction Control (Development and Redevelopment)

How many developments were approved under the new stormwater ordinance?

57

Were any maintenance agreements signed?

No. Wyoming began requiring the maintenance agreement for developments and redevelopments proposed in 2022, and developments requiring an agreement have not been built or gone through the final approval process yet, therefore maintenance agreements will be signed later.

How are you tracking signed maintenance agreement requirements?

A spreadsheet is used to track recorded maintenance agreements in the engineering office. The spreadsheet will be revised or a new spreadsheet will be created for tracking maintenance and inspections in the future.

Facilities

Were any new facilities that the municipality is responsible for added in the past few years? You can view your facility inventory under your community name [on LGROW's website](#) (Appendix 6 Facility Inventory).

No

Were inspections done 2x/year at high priority facilities?

Yes No Employee who was going to complete inspections in 2022 left the City early in the year, and no one else was aware of the required facility inspection.

Table 16. Structural Stormwater Controls Inspection and Maintenance Schedule					
Structural BMP	Inspection Frequency	Maintenance Frequency	Disposal	TSS Removal	2022 Inspection and Maintenance
Pump Stations	Weekly	As inspection dictates	Landfill	N/A	Utility Dept. Inspects and maintains.
Secondary Containment	Quarterly	As inspection dictates	Dependent on material spilled	N/A	Brine storage – functioning as designed.
Underground Storage Vault or Tanks	Annual	As inspection dictates	Dependent on material spilled	Low	Underground tanks are functioning as designed.
Detention Ponds	Once every 3 years	As inspection dictates	Landfill	Medium/High	Inspected 7 basins in 2022

Street Sweeping

Did you perform street sweeping?

Yes No

Table 18. Sweeping Prioritization					
The table below prioritizes applicant owned impervious surfaces for sweeping based on their potential to discharge pollutions to surface waters of the state. Locations may be described or referenced on a map.					
Location	Priority (High, Medium, or Low)	Sweeping Frequency	Disposal	TSS Removal (High, Medium, or Low)	2022 Sweeping Log
Municipal Parking Lots	Low	1x/5 years	Landfill	Low	

Table 18. Sweeping Prioritization

The table below prioritizes applicant owned impervious surfaces for sweeping based on their potential to discharge pollutions to surface waters of the state. Locations may be described or referenced on a map.

Location	Priority (High, Medium, or Low)	Sweeping Frequency	Disposal	TSS Removal (High, Medium, or Low)	2022 Sweeping Log
Major Streets, see attached map	High	Minimum 2x/year	Landfill	High	946 tons of sweepings were removed total
Residential Streets – Curb-head	High	Minimum 2x/year	Landfill	High	
Residential Streets – Rolled curb	Medium	Minimum 1x/year	Landfill	Medium	

Please submit a log of street sweeping, or invoices if you contracted this work out.

Catch Basin Cleaning

Please submit a log of catch basin inspections, cleaning, or invoices if you contracted this work out.

Did you inspect catch basins?

Yes No

How many? ?

Table 17. Catch Basin Cleaning Prioritization

The table below prioritizes applicant owned catch basins for cleaning based on their potential to discharge pollutions to surface waters of the state. Locations may be described or referenced on a map.

Location	Priority (High, Medium, or Low)	Inspection Frequency	Maintenance Frequency	Disposal	TSS Removal (High, Medium, or Low)	2022 Inspection and Maintenance
Municipal Parking Lots	Low	1x/5 years	1x/5 years or as needed	Landfill	Low	1,639 catch basins were cleaned, removing 1,099 tons of sediment.
City Streets	High	1x/4 years	1x/4 years or as needed	Landfill	High	

Road Work

During road, parking lot, sidewalk and right-of-way maintenance were BMPs implemented to prevent or reduce pollutant runoff during maintenance?

Road and utility projects include SESC BMPs, but small-scale maintenance (watermain break repairs, sewer repairs, service line replacements, etc.) do not typically include SESC BMPs.

Is the municipality responsible for any bridge maintenance? If so, were BMPs implemented to prevent or reduce pollutant runoff during maintenance?

Typical bridge maintenance includes crack sealing, vegetation removal, and other maintenance that I believe does not pollute, therefore BMPs are generally not implemented during maintenance. Any maintenance that requires EGLE permitting likely includes BMPs per EGLE requirements.

Is the municipality responsible for any unpaved roads? If so, were BMPs implemented to prevent or reduce pollutant runoff for unpaved roads?

The City does own four unpaved roads, and BMPs are not implemented on these roads. However, these roads do not have storm sewer and they are relatively flat, which help to prevent pollutant runoff to waterbodies.

Is the municipality responsible for any plowing and salting? If so, were BMPs implemented to prevent or reduce pollutant runoff during winter operations? Please explain.

The City is responsible for plowing and salting and implements BMPs. A road temperature sensor network is used for salting decisions to prevent oversalting of roads when the road surface is not as likely to freeze. Salt spreaders are calibrated annually to control the amount of salt applied. Salt brine is mixed with rock salt during application to melt the rock salt, which prevents the salt from bouncing off the road during application and decreases the amount of salt needed to melt snow and ice.

Is the municipality responsible for washing vehicles (ex: trucks, police cars, school buses)? If so, were BMPs implemented to prevent or reduce pollutant runoff during washing? Please explain.

Most City-owned vehicles are washed at private car washes that discharge wash water to sanitary sewer. Vehicles washed on City property are washed in garages with floor drains that drain to sanitary sewer.

Training

Was any other training completed besides 11.21.22 that you would like to report on behalf of your staff to EGLE? (Conferences, seminars, or PDH's you wish to report for you or your staff.)

Grant Simons attended the following:

- Michigan Association of County Drain Commissioners Summer Conference; Thompsonville, MI; 7/13/22 – 7/15/22
- West Michigan Way; presentation by Dr. Don Carpenter; Grand Haven, MI; 10/26/22

WYOMING Progress Report 2022

- Stormwater Treatment in Clay Soils; presentation by Dr. Don Carpenter; East Lansing, MI; 11/30/22

Additional Information

Please include anything else you wish to report to EGLE (info, flyers, photos, etc.):

The City attends Friends of Buck Creek Meetings, Rush Creek Stakeholder meetings, and participated in a watershed resilience workshop for Rush Creek hosted by LGROW on Dec. 15, 2022. The City has also worked with Plaster Creek Stewards to complete green infrastructure projects in the City and intends to continue this partnership.

Wyoming employees Grant Simons and Aaron Vis both sit on the LGROW Board of Directors.

MS4 Community Annual PEP Checklist

This document outlines your community's required activities for the 2022 Reporting Period. Check the box for each action as you complete it and provide supporting documentation where indicated. The 2022 PEP Focus Areas is: Ultimate stormwater discharge location and potential impacts

Community Name: City of Wyoming

i. **Priority Activities:** Ultimate stormwater discharge location and potential impacts

1. Ensure Community website links to the LGROW website (www.LGROW.org)
https://www.wyomingmi.gov/About-Wyoming/City-Departments/Public-Works/Stormwater

2. Publish at least 1 article on PEP topics in Community newsletter or news outlet
Name of newsletter/news outlet: Newsletter/news outlet Name
Distribution/Reach of newsletter/news outlet: Distribution/Reach
PEP Topic(s) addressed: General Watershed Awareness Stormwater Discharge Location/Impacts
 Illicit Discharge Reporting Septic System Management Personal Actions
 Waste Management Assistance
2022 newsletters are on a personal drive of a Wyoming employee, and she is on vacation until the 20th. I can get you information on any topics covered in 2022 newsletters after she comes back.

3. Community presence or Stormwater Display at 1 event or location
Event Date: 5/16/2022
Event Location: City of Wyoming Department of Public Works



4. Distribute pollution prevention information to at least 2 targeted businesses/groups listed in PEP

<i>Names of Businesses</i>	<i>Title(s) of Material(s) Distributed</i>
Business 1	Material Name
Business 2	Material Name
Business 3	Material Name

5. Share household hazardous waste reduction information with residents via Community's social media, newsletter, or website (You may attach a separate social media report for #'s 2 & 5 if you have additional posts to report)
Date shared: Click or tap to enter a date.

Location shared: Choose an item.

Social Media Post Reach: #

Social Media Post Engagement: #

***Attach a screenshot of a representative social media post, copy of newsletter, or link to community website:**

<https://www.wyomingmi.gov/About-Wyoming/City-Departments/Utilities/Clean-Water-Plant/Environmental-Services/Household-Hazardous-Waste>

6. Distribute giveaway items for selected PEP categories

Item	# Distributed	Item	# Distributed
LGROW Chapstick	#	Watershed Brochure	#
LGROW Pen	#	Adopt a Drain Tip Cards	#
LGROW Dishcloth	#	Septic Smart Brochures	#
WMEAC Coloring Book	#	EPA Stormwater Solution Brochure	#
Troutie Coloring Book	#	Landscaping for Water Quality	#
LGROW Colored Pencils	#	Other	#
Pet Waste Bag Dispenser	#	Other	#

Other Activities

7. Cohost a GSI/Green Infrastructure workshop for Community members with LGROW

Workshop Date: Click or tap to enter a date.

Workshop Location: Click or tap here to enter text.

of Attendees: Click or tap here to enter text.

***Attach a copy of workshop sign-in sheets or photos**

Cara training covers this.

8. Host, participate in, or support a stream cleanup effort

Cleanup Date: Click or tap to enter a date.

Cleanup Location: Click or tap here to enter text.

of Volunteers:

***Attach a copy of volunteer sign-in sheets or photos**

9. Mark storm drains or host/support storm drain marking events

Storm Drain Marking Event Date: Click or tap to enter a date.

of Participants in Event:

of Storm Drains Marked:

of Pre-Marked or Stamped Drains already existing in Community:

10. Join or Promote Adopt a Drain Program

Date(s) of program promotion: Click or tap here to enter text.

Method of program promotion: Click or tap here to enter text.

Social Media Metrics (Post Reach, Post Engagement): Click or tap here to enter text.

***LGROW will create a report of the number of drains adopted in your Community**

11. Provide presentation on PEP topics to a school in your Community

Date of presentation: Click or tap to enter a date.

Location of presentation: Click or tap here to enter text.

of Students Reached:

12. Implement EPA SepticSmart Social Media Guide during SepticSmart Week

Provide Social Media Metrics (Post Reach, Post Engagement): Click or tap here to enter text.

Other Public Engagement Activities Completed

Use this space to provide additional detail on Public Engagement Activities described above or to describe other Public Engagement Activities completed in your Community during the reporting period.

Click or tap here to enter text.



**Kent County
Road Commission**

MUNICIPAL CIVIL INFRACTION

Alleged Violator:

TMGB Wilson LLC

Date: 03/14/2022

2380 Health Dr SW Suite 210

Wyoming, MI 49519

Violation Site Address/ Location:

Permit Number: 20-367

5972 Wilson Ave SW

Wyoming, Michigan

FINE AMOUNT: \$2000.00

Under the Authority of the Kent County Soil Erosion and Sedimentation Control Ordinance No. 12-13-07-123, you are hereby ordered to pay the above mentioned fine for failure to comply with Ordinance requirements. You have **15 days** from the receipt of this infraction to pay the fine and comply with the Ordinance. Fines shall be made payable to:

Kent County Road Commission
1500 Scribner Avenue NW
Grand Rapids MI 49504

Unpaid Municipal Civil Infractions will be forwarded to the Kent County District Court System for further action. Fines paid in full within the allotted time, will be considered fully resolved and will remain out of the Court System permanent records.

Questions about the Municipal Civil Infraction should be addressed to Wayne Harrall at 616-242-6914.

Official's signature: _____

Official's name (printed): _____

Wayne A. Harrall



Kent County Road Commission

TMGB Wilson LLC
2380 Health Dr SW Suite 210
Wyoming, MI 49519

March 14, 2022

Notice of Violation

Please be advised that the soil discharged offsite into the roadway at the site located at **5972 Wilson Ave SW, Wyoming TWP, Section 32, of Kent County, Michigan** is in violation of the Kent County Soil Erosion and Sedimentation Control Ordinance. You now have **5 days** from the receipt of this letter to comply with the Ordinance as outlined in your SESC field inspection report. A civil infraction is being issued for continued violation of the Kent County Soil Erosion and Sedimentation Control Ordinance.

The Kent County Road Commission is the enforcing agency for soil erosion in Kent County. If you have any questions, please call me at (616) 242-6901 ext 6909.

Penalties for not complying with the Kent County Soil Erosion and Sedimentation Control Ordinance:

1. A person who owns land that is not in conformance with the Ordinance is responsible for a municipal civil infraction subject to a civil fine.
 - a. Up to \$2,500 for violation of the provisions of the Ordinance.
 - b. Up to \$10,000 per day for knowingly violating the Ordinance.
 - c. Up to \$25,000 per day for knowingly violating the act after receiving a notice of violation.
2. A stop work order may be issued until compliance is achieved.
3. The enforcing agency can install or maintain control measures to bring a nonconforming site into compliance with the Ordinance and bill the landowner for the costs incurred.

Thank you in advance for your cooperation.

Ethan Veenstra
Soil Erosion Inspector

KENT COUNTY ROAD COMMISSION
1500 SCRIBNER AVE. N.W.
GRAND RAPIDS, MI 49504
(616 242-6910)

**SOIL EROSION AND SEDIMENTATION CONTROL
SITE INSPECTION FIELD REPORT**

Name TMGB WILSON LLC Permit Number: 20 / 367
Address 2380 HEALTH DR SW SUITE 210 Date Issued: 9/4/20 Open
City WYOMING State MI Zip 49519 Expiration Date: 8/1/22 Closed
Telephone 616-248-3566 Fax _____ E-mail Address TWOLTER@GRANGERGROUP.US
The project location is described as: 5972 WILSON AVE SW
City or Township of WYOMING Section 32 Surface Water REGIONAL STORM WATER BASIN
Responsible On-Site Party SCHIPPERS EXCAVATING INC- TREVOR MOELKER Telephone 616-437-9969 TMOELKER@SCHIPPERSEXCAVATING.COM
Project Description: CONSTRUCTION OF PUBLIC ROAD- 5 ACRES + 5= 10 ACRES (11/2/20)

Inspector's notes:

- Project not started.
- Earth change has begun, site is stable and erosion and sedimentation controls are correctly installed.
- Earth change has begun, controls **not** installed per plan. Location: _____
- Construction continues and the site is stable.
- There is potential for sediment to leave the site. Location: _____
- Sediment is leaving the site. Location: _____
- Slopes need final grading and seeding to stabilize soil surface.
- The earth change is complete but vegetation needs to be established. Location: _____
- The permit has expired and an extension is necessary, call (616) 242-6910
- Project is complete and growth is sufficient. Please remove all temporary soil erosion controls.
- Permit is closed

Additional comments:

Road was a disaster during the inspection due to the lack of controls at construction entrances.
All construction entrances need stone installed to help eliminate tracking, stone also needs to be MAINTAINED.
If tracking still occurs, roads will need to be swept immediately. Not just at the end of the day.
A \$2000 fine is being issued due to the state of the road during the inspection.
Tracking has been an on going issue for this site.
If tracking continues to occur, more fines will be issued.

Corrections must be completed by: 03 / 21 / 2022

- Violation notice recommended: _____ Report mailed to: TMGB WILSON LLC
- Violation notice sent to: TMGB WILSON LLC Copies sent to: STEFANSKIB@michigan.gov, Baltruczak@erionbuilt.com
- Permittee notified by telephone: Others participating during inspection _____

INSPECTORS NAME Ethan Veenstra DATE 03 / 14 / 22 INSPECTION NO. 13


PERMITTEE'S COPY INSPECTORS' COPY OFFICE COPY

Permit 20-367




Picture 1. Tracking due to lack of controls at construction entrances. Stone needs to be installed and maintained to help eliminate tracking.

Permit 20-367




Picture 2. Tracking due to lack of controls at construction entrances. Stone needs to be installed and maintained to help eliminate tracking.

Permit 20-367




Picture 3. Tracking due to lack of controls at construction entrances. Stone needs to be installed and maintained to help eliminate tracking.

Permit 20-367




Picture 4. Tracking due to lack of controls at construction entrances. Stone needs to be installed and maintained to help eliminate tracking.

Permit 20-367



Picture 5. Tracking due to lack of controls at construction entrances. Stone needs to be installed and maintained to help eliminate tracking.

Permit 20-367



Picture 6. Tracking due to lack of controls at construction entrances. Stone needs to be installed and maintained to help eliminate tracking.



**Kent County
Road Commission**

MUNICIPAL CIVIL INFRACTION

Alleged Violator:

TMGB Wilson LLC

2380 Health Dr SW Suite 210

Wyoming MI 49519

Violation Site Address/ Location:

5972 Wilson Ave SW

Wyoming, Michigan

Date: 05-11-2022

Permit Number: ~~20~~367

FINE AMOUNT: \$1000.00

Under the Authority of the Kent County Soil Erosion and Sedimentation Control Ordinance No. 12-13-07-123, you are hereby ordered to pay the above mentioned fine for failure to comply with Ordinance requirements. You have **15 days** from the receipt of this infraction to pay the fine and comply with the Ordinance. Fines shall be made payable to:

Kent County Road Commission
1500 Scribner Avenue NW
Grand Rapids MI 49504

Unpaid Municipal Civil Infractions will be forwarded to the Kent County District Court System for further action. Fines paid in full within the allotted time, will be considered fully resolved and will remain out of the Court System permanent records.

Questions about the Municipal Civil Infraction should be addressed to Wayne Harrall at 616-242-6914.

Official's signature: _____

Wayne A. Harrall

Official's name (printed): _____

Wayne A. Harrall

KENT COUNTY ROAD COMMISSION
1500 SCRIBNER AVE. N.W.
GRAND RAPIDS, MI 49504
(616 242-6910)

**SOIL EROSION AND SEDIMENTATION CONTROL
SITE INSPECTION FIELD REPORT**

Name TMGB WILSON LLC Permit Number: 20 / 367
Address 2380 HEALTH DR SW SUITE 210 Date Issued: 9/4/20 Open
City WYOMING State MI Zip 49519 Expiration Date: 8/1/22 Closed
Telephone 616-248-3566 Fax _____ E-mail Address TWOLTER@GRANGERGROUP.US

The project location is described as: 5972 WILSON AVE SW

City or Township of WYOMING Section 32 Surface Water REGIONAL STORM WATER BASIN
Responsible On-Site Party SCHIPPERS EXCAVATING INC- TREVOR MOELKER Telephone 616-437-9969 TMOELKER@SCHIPPERSEXCAVATING.COM

Project Description: CONSTRUCTION OF PUBLIC ROAD- 5 ACRES + 5= 10 ACRES (11/2/20)

Inspector's notes:

- Project not started.
- Earth change has begun, site is stable and erosion and sedimentation controls are correctly installed.
- Earth change has begun, controls **not** installed per plan. Location: _____
- Construction continues and the site is stable.
- There is potential for sediment to leave the site. Location: _____
- Sediment is leaving the site. Location: _____
- Slopes need final grading and seeding to stabilize soil surface.
- The earth change is complete but vegetation needs to be established. Location: _____
- The permit has expired and an extension is necessary, call (616) 242-6910
- Project is complete and growth is sufficient. Please remove all temporary soil erosion controls.
- Permit is closed

Additional comments:

All corrections were made except for cleaning out the drainage swale on the south side of the road, near the orion job trailer.

This issue was first noted in reports 03/22/2022

Due to it still not being addressed a \$1000.00 fine is being issued.

More fines will be issued if it is not addressed by 05/17/2022.


Corrections must be completed by: 05 / 17 / 2022

- Violation notice recommended: _____ Report mailed to: TMGB WILSON LLC
- Violation notice sent to: _____ Copies sent to: TMOELKER@SCHIPPERSEXCAVATING.COM
Baltrczak@orionbuilt.com
- Permittee notified by telephone: Others participating during inspection _____

INSPECTORS NAME Ethan Veenstra DATE 05 / 11 / 22 INSPECTION NO. 16

PERMITTEE'S COPY INSPECTORS' COPY OFFICE COPY

Permit 20-367



Picture 1- Sediment accumulation that still needs to be recovered. It was first noted in the 3/22/2022 report. Recover sediment by hand.

The LGRW Clean Air/Clean Water display was hosted at many municipalities across the watershed throughout 2022. The following MS4 communities hosted the display:

- City of Hudsonville
- Georgetown Township
- City of Grandville
- City of Wyoming
- Kent County Road Commission
- East Grand Rapids
- Cascade Township
- Grand Rapids Charter Township
- Rockford City Hall
- City of Ferrysburg
- Ottawa County
- GVSU
- Plainfield Library
- Village of Spring Lake
- City of Walker



Clean Air Action Display Free Item Counts

Hudsonville – 5/16/2022

Reusable Bags - 15
Frisbees - 20
Pens - 20
Chip Clips - 15
Tire Pressure Gauges - 15
Coloring Books - 20
Notepads – 20

Georgetown Township – 5/23/2022

Reusable Bags – 20
Frisbees – 20
Pens – 40
Chip Clips – 20
Tire Pressure Gauges – 15
Coloring Books – 40
Notepads – 25

***Ran out of items**

City of Grandville – 5/31/2022

Reusable Bags - 15
Frisbees - 20
Pens - 20
Chip Clips - 15
Tire Pressure Gauges - 15
Coloring Books - 20
Notepads – 20

***Ran out of items on Friday**

City of Wyoming – 6/6/2022

Reusable Bags - 15
Frisbees - 20
Pens - 20
Chip Clips - 15
Tire Pressure Gauges - 15
Coloring Books - 20
Notepads – 20

Kent County Road Commission – 6/13/2022

Reusable Bags - 12
Frisbees - 12
Pens - 12
Chip Clips - 12
Tire Pressure Gauges - 6
Coloring Books - 12
Notepads – 12


East Grand Rapids – 6/20/2022

Reusable Bags - 30
Frisbees - 40
Pens - 40
Chip Clips - 15
Tire Pressure Gauges - 15
Coloring Books - 40
Notepads – 40

Cascade Township – 6/27/2022

Grand Rapids Charter Twp – 7/11/2022

Reusable Bags - 15
Frisbees - 20
Pens - 20
Chip Clips - 12
Tire Pressure Gauges - 10
Coloring Books - 20
Notepads – 20



Stormwater Training

Date: 11/22/2022

Time: 10:30 am


Location: Wyoming PW

NAME:

JOB TITLE:

SIGNATURE:

NAME:	JOB TITLE:	SIGNATURE:
Anis Jukanovic	MAT Public Works	A. Jukanovic
Mitch VanFarowe	Public Works	Mitchell VanFarowe
Tyler Haverkamp	Public Works	Tyler Haverkamp
Jason Harmsen	Public Works	Jason Harmsen
Joel Koerner	Public Works	Joel Koerner
Nic Avink	Public Works	Nic Avink
Grant Simons	Public Works	Grant Simons
Josh Raak	Public Works	Josh Raak
Tim Montgomery	Parks Foreman	Tim Montgomery




Date: 11.21.22

Stormwater Training
Time: 1030

Location: Wyoming FW

NAME:	JOB TITLE:	SIGNATURE:
Danny First	Engineer Tech	
Doug Anderson	Environmental Services	
Kevin Lynch	Environmental Services	
Mary Marchwinski	Senior Eng. Tech	
Tim Kattiff		
Greg Hillier	Public Works	
Ross Vander Lugt	Public Works	
Colton Overway	Public Works	
Drew Kooiker	Public Works	



Stormwater Training

Date: 11.21.22

Time: 10:30 am

Location: Wyoming PW


NAME:

JOB TITLE:

SIGNATURE:

NAME:	JOB TITLE:	SIGNATURE:
Ed Otter	Public works	
Jodie Theis	P.W.	Jodie Theis
SHIMO SVABIC	P.W.	
JOE WACHFELD	P.W.	
PAT GRUNDY	P.W.	Pat Grundy
JEFF GOULD	P.W.	
BRIAN SARAC	TRAFFIC / PW	

1:00 pm



Date: 11.21.22

Stormwater Training

Time: 1:00 pm

Location: Wyoming PW

NAME:

JOB TITLE:

SIGNATURE:

Eduardo Ochoa	Maint. tech	
Jeremy Funsle	maint tech	
Ethan Verburg	maint. tech	
Shane Smith	crew leader	
Jeff Dank	Senior Civil Engr.	
ARON CROW	COOL DUDE	
Carlos E OCHOA	M II	
Doug Ferguson	M TECH II	
Josh Ezinga	Engineer Tech	

Frank D'Amico

Maint. Tech

Joe VanderWeide

Environmental Services Inspector

Andrew Godec
Joy VanDere

Maint tech
Assistant Dir

Russ Hancock

Asst PW

R. Hancock