

MS4: City of Wyoming

Stormwater Structural Control Inventory:

Updated 9/11/2018

Cumulative Facilities Inventory

Quantity:	Type:
148	Catch basins
0	Constructed wetlands
9	Detention basins
0	Infiltration basins and trenches
0	Oil/water separators
0	Porous pavement
3	Pump Stations
0	Rain gardens
2	Secondary containment
1	Underground storage vaults or tanks
0	Vegetated swales
0	Other structural storm water controls (See Notes)

Storm Sewer System

Quantity:	Type:
8227	Catch basins
0	Constructed wetlands
0	Detention basins
0	Infiltration basins and trenches
0	Oil/water separators
0	Porous pavement
0	Pump Stations
0	Rain gardens
0	Secondary containment
0	Underground storage vaults or tanks
0	Vegetated swales
0	Other structural storm water controls (See Notes)

Facilities Inventory		Municipal Operations and Maintenance								
Pollutant Discharge Potential	Facility Name	Road, Parking Lot Bridge & Sidewalk Maintenance	ROW & Vegetated Property Maintenance	Unpaved Road Maintenance	Cold Weather operations	Fleet Maintenance	Building & Grounds	Solid Waste Handling and Disposal	Materials Storage	Spill Response and Prevention
Medium	Clean Water Plant	x	x		x		x	x	x	x
High	Public Works Facility	x	x		x	x	x	x	x	x
Medium	Gezon Pump Station	x	x		x		x		x	
Medium	Lamar Park	x	x				x			
Low	Oriole Park	x	x				x			
Low	Pinery Park	x	x	x			x			
Low	Police Department & Senior Center	x	x		x		x			
Low	Veterans Memorial Gardens	x	x				x			
Medium	Gezon Fire Station	x	x		x		x			
Low	36th Street Fire Station	x	x		x		x			
Low	40th Street Park		x				x			
Low	Battjes Park	x	x				x			
Low	City Hall & Court Building	x	x		x		x			
Low	Ferrand Park	x	x				x			
Low	Frog Hollow Park	x	x				x			
Low	Gezon Park	x	x				x			
Low	Jackson Park	x	x				x			
Low	Kimble Stadium/Dog Park	x	x				x			
Low	Lemery Park	x	x				x			
Low	Library	x	x		x		x			
Low	52nd Avenue Detention Basin		x				x			
Low	1744 52nd Avenue Detention Basin		x				x			
Low	2750, 2800 Lee St. Detention Basin		x				x			
Low	950, 1010 58th St. Detention Basin		x				x			
Low	1056 Gezon Parkway Detention Basin		x				x			
Low	900 26th Detention Basin		x				x			

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Clean Water Plant
Facility Address:	2350 Ivanrest Ave
Receiving Water/ Outfall ID:	WYC0902
Facility Type:	Wastewater Treatment
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
3	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
1	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	PW Facility and Hook Water Tower
Facility Address:	2660 Burlingame
Receiving Water/ Outfall ID:	P1101; WYC1111; WYC1123 WYC1105
Facility Type:	Public Works Facility/water tower
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
1	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	3/4/2015, updated 8/29/18
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Gezon Pump Station
Facility Address:	5591 Gezon Court
Receiving Water/ Outfall ID:	None
Facility Type:	Water Station
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
1	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes: See Gezon Park for catch basin detail information

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Lamar Park
Facility Address:	2561 Porter
Receiving Water/ Outfall ID:	MS4 to pond P0401; WYC 0401
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
18	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes: facility has splash pad

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Oriole Park
Facility Address:	1380 42nd Street
Receiving Water/ Outfall ID:	MS4 to Buck Creek; WYC 2237
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
3	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes: facility has splash pad

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Pinery Park
Facility Address:	2301 De Hoop
Receiving Water/ Outfall ID:	MS4 to Plaster Creek; WYC0264
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
7	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Police Dept and Senior Center
Facility Address:	2300 De Hoop; 2380 De Hoop
Receiving Water/ Outfall ID:	MS4 to Plaster Creek; WYC 0264
Facility Type:	Public Building
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
11	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Veterans Memorial Gardens
Facility Address:	2300 De Hoop
Receiving Water/ Outfall ID:	MS4 to Plaster Creek; WYC 0264
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
5	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Gezon Fire Station
Facility Address:	2300 Gezon Parkway
Receiving Water/ Outfall ID:	MS4 to pond (BF-2B); WYC 3399
Facility Type:	Fire Station
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
11	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes: fire training facility - needs more in depth survey come summer

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	36th Street Fire Station
Facility Address:	1250 36th Street
Receiving Water/ Outfall ID:	MS4 to pond (P2201); WYC 2235
Facility Type:	Fire Station
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
6	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	40th Street Park
Facility Address:	1030 40th Street
Receiving Water/ Outfall ID:	onsite detention basin; WYC2306 & 2305
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
3	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Battjes Park
Facility Address:	1655 Blandford
Receiving Water/ Outfall ID:	MS4 to pond (P0401); WYC 0401
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
2	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
1	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	City Hall & Court Buildings
Facility Address:	2300 De Hoop
Receiving Water/ Outfall ID:	MS4 to pond (P1102); WYC 1106
Facility Type:	Public Building
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
17	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Ferrand Park
Facility Address:	4715 Byron Center
Receiving Water/ Outfall ID:	MS4 to Behan Foley Drain; WYC2825
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
2	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Frog Hollow Park
Facility Address:	2050 Metro Court
Receiving Water/ Outfall ID:	MS4 to pond (P3408); WYC3428
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
3	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Gezon Park
Facility Address:	5651 Gezon Court
Receiving Water/ Outfall ID:	drains to field; WYC3430
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
13	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Jackson Park
Facility Address:	1331 33rd
Receiving Water/ Outfall ID:	MS4 to pond (P1101); WYC 1112
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
5	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
1	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes: Pump Station with force main heading north and east

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Kimble Stadium & Dog Park
Facility Address:	1414 Nagel SW
Receiving Water/ Outfall ID:	MS4 to Plaster Creek; WYC0258
Facility Type:	Stadium/Dog Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
2	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Lemery Park
Facility Address:	4050 Byron Center
Receiving Water/ Outfall ID:	MS4 to Buck Creek; WYC2229
Facility Type:	Park
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
2	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	Library
Facility Address:	3350 Michael
Receiving Water/ Outfall ID:	MS4 to pond; WYC 1112
Facility Type:	Library
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
12	Catch basins
	Constructed wetlands
	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	52nd Ave Detention Basin
Facility Address:	2404 52nd Ave, 5251 Byron Center
Receiving Water/ Outfall ID:	BF-1c; WYC3389
Facility Type:	Detention basins
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	1744 52nd St Det Basin
Facility Address:	1744 52nd St Det Basin
Receiving Water/ Outfall ID:	BC-3B; WYC3401
Facility Type:	Detention basins
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	2750, 2800 Lee Street Detentin Basin
Facility Address:	2750, 2800 Lee Street
Receiving Water/ Outfall ID:	Roys Creek; WYC 0922
Facility Type:	Detention basins
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	950, 1010 58th St Detention Basin
Facility Address:	950, 1010 58th St
Receiving Water/ Outfall ID:	BC-1A; WYC3511, WYC 3512
Facility Type:	Detention basins
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	1056 Gezon Parkway Detention Basin
Facility Address:	1056 Gezon Parkway
Receiving Water/ Outfall ID:	MS4 to Buck Creek; WYC2620
Facility Type:	Detention basins
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Information:	
Community Name:	City of Wyoming
Facility Name:	900 26th St Detention Basin
Facility Address:	900 26th Street
Receiving Water/ Outfall ID:	MS4 to Plaster Creek; WYC0264
Facility Type:	Detention basins
Secondary Facility Type (Optional) :	
Stormwater Structural Control Inventory:	
Quantity:	Type:
	Catch basins
	Constructed wetlands
1	Detention basins
	Infiltration basins and trenches
	Oil/water separators
	Porous pavement
1	Pump Stations
	Rain gardens
	Secondary containment
	Underground storage vaults or tanks
	Vegetated swales
	Other structural storm water controls (See Notes)
Completed on:	4-Mar-15
Facility Map Location:	Stormwater Manager's Office

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

Facility Name: City of Wyoming Public Works Facility

Person Responsible for Facility Oversight: Mr. Aaron Vis

Standard Operating Procedure (SOP) for Facilities with HIGH potential for Pollutant Runoff

This facility was assessed and determined to have a high potential to discharge pollutants to surface waters of the state based on the following factors or conditions present on the site:

- Fleet Maintenance or Storage Yard
- Large amount of urban pollutants stored at the site
- Identification of improperly stored materials
- The potential for polluting activities to be conducted outside
- Proximity to waterbodies
- Poor housekeeping practices
- Discharge of pollutants of concern to impaired waters

Site-specific structural and non-structural controls and good housekeeping practices implemented and maintained onsite are identified in the facility inventory in Appendix 6 of the SWMP. Maintenance procedures and good housekeeping practices are detailed in the BMP manual in Appendix 7 of the SWMP.

Inspection

Conduct routine maintenance and inspections of storm water management and control devices to ensure materials and equipment are clean and orderly and to prevent or reduce pollutant runoff.

Routine Inspection Schedule: Biweekly.

Conduct a comprehensive inspection including all structural storm water controls and a review of non-structural storm water controls to prevent or reduce pollutant runoff.

Comprehensive Site Inspection Schedule: Once every 6 months.

Significant materials

Identify all significant materials onsite with the potential to pollute stormwater.

Material	Handling & Storage Requirements	Potential to Pollute (High, Medium, Low)
Salt	General good housekeeping as described in BMP Manual; interior storage	High
Sand	General good housekeeping as described	Low

Facility Name: City of Wyoming Public Works Facility

Person Responsible for Facility Oversight: Mr. Aaron Vis

	in BMP Manual; stored as far away from water bodies as possible	
Diesel, Gasoline UST	General good housekeeping as described in BMP Manual	Low
Magnesium Chloride	General good housekeeping as described in BMP Manual; contained storage	Medium
Oils, lubricants & antifreeze	General good housekeeping as described in BMP Manual; interior storage	Low