

MS4: Village of Fruitport

Stormwater Structural Control Inventory:

Facilities Inventory

| Quantity: | Type: |
|-----------|---|
| 4 | Catch basins |
| 0 | Constructed wetlands |
| 0 | Detention basins |
| 0 | Infiltration basins and trenches |
| 1 | Oil/water separators |
| 0 | Porous pavement |
| 0 | Pump Stations |
| 0 | Rain gardens |
| 0 | Secondary containment |
| 0 | Underground storage vaults or tanks |
| 1 | Vegetated swales |
| 1 | Other structural storm water controls (See Notes) |

Storm Sewer System

| Quantity: | Type: |
|-----------|---|
| 92 | Catch basins |
| 0 | Constructed wetlands |
| 0 | Detention basins |
| 12 | Infiltration basins and trenches |
| 0 | Oil/water separators |
| 0 | Porous pavement |
| 0 | Pump Stations |
| 0 | Rain gardens |
| 0 | Secondary containment |
| 0 | Underground storage vaults or tanks |
| | Vegetated swales |
| | Other structural storm water controls (See Notes) |

Facilities Inventory

Municipal Operations and Maintenance

| Pollutant Discharge Potential | Facility Name | Municipal Operations and Maintenance | | | | | | | |
|-------------------------------|---------------|---|--------------------------------------|--------------------------|-------------------------|-------------------|-----------------------------------|-------------------|-------------------------------|
| | | Road, Parking Lot Bridge & Sidewalk Maintenance | ROW & Vegetated Property Maintenance | Unpaved Road Maintenance | Cold Weather operations | Fleet Maintenance | Solid Waste Handling and Disposal | Materials Storage | Spill Response and Prevention |
| Medium | Pomona Park | x | x | | | | | | |
| Low | Vacant Lot | | x | | | | | | |
| High | DPW | x | x | | x | x | x | x | x |

| Facility Information: | |
|---|---|
| Community Name: | Village of Fruitport |
| Facility Name: | DPW |
| Facility Address: | 54 N. 2nd Street |
| Receiving Water/ Outfall ID: | Onsite retention pond |
| Facility Type: | Parks |
| Secondary Facility Type (Optional) : | |
| Stormwater Structural Control Inventory: | |
| Quantity: | Type: |
| 1 | Catch basins |
| | Constructed wetlands |
| | Detention basins |
| | Infiltration basins and trenches |
| 1 | Oil/water separators |
| | Porous pavement |
| | Pump Stations |
| | Rain gardens |
| | Secondary containment |
| | Underground storage vaults or tanks |
| | Vegetated swales |
| 2 | Other structural storm water controls (See Notes) |
| Completed on: | 7-Apr-16 |
| Facility Map Location: | Clerk's office |

Notes: One catch basin onsite goes to retention pond. Grit separator flows into oil/water separator and then flows into septic tank. All separators are maintained every other year by a contractor.

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

| Facility Information: | |
|---|---|
| Community Name: | Village of Fruitport |
| Facility Name: | Pomona Park |
| Facility Address: | 93rd S 3rd Avenue Fruitport, 49415 |
| Receiving Water/ Outfall ID: | Spring Lake |
| Facility Type: | Parks |
| Secondary Facility Type (Optional) : | |
| Stormwater Structural Control Inventory: | |
| Quantity: | Type: |
| 2 | Catch basins |
| | Constructed wetlands |
| | Detention basins |
| | Infiltration basins and trenches |
| | Oil/water separators |
| | Porous pavement |
| | Pump Stations |
| | Rain gardens |
| | Secondary containment |
| | Underground storage vaults or tanks |
| 1 | Vegetated swales |
| | Other structural storm water controls (See Notes) |
| Completed on: | 7-Apr-16 |
| Facility Map Location: | Clerk's office |

Notes:

Business that put in bioswale is responsible for maintaining it. Agreement with Village.

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.

| Facility Information: | |
|---|---|
| Community Name: | Village of Fruitport |
| Facility Name: | Vacant land across from DPW Building |
| Facility Address: | across from 45 N 2nd Ave |
| Receiving Water/ Outfall ID: | Norris Creek |
| Facility Type: | Vacant land and open space |
| Secondary Facility Type (Optional) : | |
| Stormwater Structural Control Inventory: | |
| Quantity: | Type: |
| 1 | Catch basins |
| | Constructed wetlands |
| | Detention basins |
| | Infiltration basins and trenches |
| | Oil/water separators |
| | Porous pavement |
| | Pump Stations |
| | Rain gardens |
| | Secondary containment |
| | Underground storage vaults or tanks |
| | Vegetated swales |
| | Other structural storm water controls (See Notes) |
| Completed on: | 7-Apr-16 |
| Facility Map Location: | Clerk's office |

Notes:

Instructions: Complete all gray areas on the form. If your facility can be identified as more than one type in the drop down menu, use the optional secondary field, if you need 3 or more types, add them to the notes. Provide the number of each type of stormwater structural control at the facility that discharges stormwater to waters of the state.